

# ATLAS Teamwork

## AR 35



Operating weight 2500 kg  
Power 24.6 kW (33.5 HP)  
Shovel capacity 0.34 m<sup>3</sup>

## AR 35 Super



Operating weight 2875 kg  
Power 29.4 kW (40 HP)  
Shovel capacity 0.40 m<sup>3</sup>

## AR 50



Operating weight 3950 kg  
Power 42 kW (57 HP)  
Shovel capacity 0.70 m<sup>3</sup>

## AR 60



Operating weight 4650 kg  
Power 47.5 kW (65 HP)  
Shovel capacity 0.85 m<sup>3</sup>

## AR 65 Super



Operating weight 4800 kg  
Power 51.3 kW (70 HP)  
Shovel capacity 1.00 m<sup>3</sup>

## AR 75



Operating weight 5600 kg  
Power 56.9 kW (77 HP)  
Shovel capacity 1.00 m<sup>3</sup>

## AR 75 S



Operating weight 6000 kg  
Power 56.9 kW (77 HP)  
Shovel capacity 0.80 m<sup>3</sup>

## AR 80



Operating weight 5750 kg  
Power 59.5 kW (81 HP)  
Shovel capacity 1.00 m<sup>3</sup>

## AR 85



Operating weight 6700 kg  
Power 65 kW (88 HP)  
Shovel capacity 1.30 m<sup>3</sup>

## AR 95



Operating weight 7900 kg  
Power 74.9 kW (102 HP)  
Shovel capacity 1.40 m<sup>3</sup>

## AR 95 Super



Operating weight 8100 kg  
Power 92 kW (125 HP)  
Shovel capacity 1.60 m<sup>3</sup>

## AGT



Operating weight 4800 kg  
Power 59.5 kW (81.0 HP)  
Shovel capacity 0.80 m<sup>3</sup>

Technical Data without engagement.  
Subject to change without notice.

# ATLAS Teamwork

## AW 240



Operating weight	2450 kg
Linear drum load	12.25 kg/cm
Amplitudes	0.5 mm
Frequencies	53 / 61 Hz
Centrifugal force	21.5 / 28 kN
Power	22.5 kW (33.6 HP)

## AW 260



Operating weight	2650 kg
Linear drum load	11.04 kg/cm
Amplitudes	0.5 mm
Frequencies	53 / 61 Hz
Centrifugal force	25 / 34 kN
Power	22.5 kW (33.6 HP)

## AW 300



Operating weight	3000 kg
Linear drum load	12.00 kg/cm
Amplitudes	0.5 mm
Frequencies	52 / 58 Hz
Centrifugal force	29 / 37 kN
Power	22.5 kW (33.6 HP)

## AW 1070



Operating weight	7100 kg
Linear drum load	22.40 kg/cm
Amplitudes	1.8 / 0.8 mm
Frequencies	30 / 40 Hz
Centrifugal force	120 / 90 kN
Power	61.5 kW (84 HP)

## AW 1110



Operating weight	11200 kg
Linear drum load	29.00 kg/cm
Amplitudes	1.8 / 0.8 mm
Frequencies	30 / 38 Hz
Centrifugal force	220 / 150 kN
Power	96 kW (130 HP)

## AW 1120



Operating weight	12000 kg
Linear drum load	32.80 kg/cm
Amplitudes	1.8 / 0.6 mm
Frequencies	30 / 40 Hz
Centrifugal force	240 / 140 kN
Power	96 kW (130 HP)

## AW 1130



Operating weight	12900 kg
Linear drum load	33.30 kg/cm
Amplitudes	1.9 / 0.9 mm
Frequencies	30 / 38 Hz
Centrifugal force	260 / 190 kN
Power	103 kW (140 HP)

## AW 1140



Operating weight	13900 kg
Linear drum load	38.00 kg/cm
Amplitudes	1.9 / 0.7 mm
Frequencies	30 / 40 Hz
Centrifugal force	280 / 180 kN
Power	103 kW (140 HP)

Technical data without engagement.  
Subject to change without notice.

# ATLAS Teamwork



F.Weyhausen AG & Co. KG  
Maschinenfabrik  
Visbeker Straße 35  
D-27793 Wildeshausen  
Phone +49 (0)44 31/981-0  
Fax +49 (0)44 31/981-225  
[www.radlader.com](http://www.radlader.com)

**ATLAS**  
WEYHAUSEN

# ATLAS Teamwork



F. Weyhausen AG & Co. KG  
Maschinenfabrik  
Visbeker Straße 35  
D-27793 Wildeshausen  
Phone +49 (0)44 31/981-0  
Fax +49 (0)44 31/981-225  
[www.atlaswalzen.com](http://www.atlaswalzen.com)

**ATLAS**  
WEYHAUSEN